



Type B Tree Removal Application

Trees on Private Property

Tree removal may not occur until permit approval. Once replanted, a photo must be submitted to planninginfo@happyvalleyor.gov. Staff may go onsite prior to closing the permit. The Planning Division may be reached at 503.783.3800, Monday-Friday from 8am-5pm.

Address of Tree Removal: _____

Number of Trees Proposed for Removal

On Private Property: _____ Street Trees/Public Property: _____ HOA/Tract: _____

Name of Related Land Division or Design Review Project: _____

Applicant(s):

Name: _____

Mailing Address: _____

Phone: _____ Email: _____

Arborist Name: _____ Arborist Email: _____

Contractor (If Applicable):

Name: _____

Happy Valley Business License Number: _____ Metro Business License Number: _____

Mailing Address: _____

Phone: _____ Email: _____

Submittal Requirements

- A tree removal plan by a certified arborist including:
 - Location and diameter of each tree proposed to be removed (measured 4.5 feet from grade)
 - Location of steep areas, drainage ways, wetlands and surface water features
 - A grading plan of existing and proposed in two-foot contours if grading is proposed
 - Location of temporary fencing/markings to protect vegetation and any erosion control measures
 - Pictures
- A tree planting plan by a certified arborist including:
 - Location of trees proposed to be planted
 - Species and size of trees proposed to be planted

Submission of an application authorizes review and grants city representatives access to the property to verify the information provided, to observe site conditions, and the terms and conditions of the permit have been followed.

Fee Waiver

Identify if your tree removal qualifies for any fee waivers.

- No Fee Waiver Proposed. Skip to next section.
- Fee Waiver Proposed

Number of trees in the public right-of-way dead, diseased, dying, hazardous: _____

Number of tree is in a dedicated tract (including HOA) that are dead, diseased, dying, hazardous: _____

Number of trees susceptible to Emerald Ash Borer: _____

Number of trees implementing an approved wildfire risk reduction plan: _____

Total number of trees seeking a fee waiver: _____ Total number of trees NOT seeking a fee waiver: _____

Exemptions

Trees meeting the below exemptions may be removed and do not require the remainder of this review, though may require environmental review by the Planning Division or erosion or other review by the Engineering Division.

- No exceptions are applicable. *Skip to next section.*
- Commercial production of landscaping, nursery stock, Christmas trees, fruit and nut orchards or similar that is not zoned EFU, RRF-5, FF-10, or was previously zoned RRF-5 or FF-10.
Commercial Production Item: _____ Zoning: _____
**Please provide evidence of commercial production.*
- Commercial production of landscaping, nursery stock, Christmas trees, fruit and nut orchards or similar zoned EFU and in tax deferral.
Commercial Production Item: _____ **Please provide evidence*
- The property is zoned FF-10 or RRF-5 (or was previously zoned FF-10) and the trees are planted in rows.
Zoning: _____ Are the trees planted in rows? Yes No
- All trees are smaller than 6" in diameter (18.84" in circumference) measured at 4.5 feet above ground level that are not in environmentally sensitive areas, public property or planter strips, or required from a past permit.

What Would You Like to Remove

Identify each tree you would like to remove. Trees smaller than 6 inches in diameter (measured 4.5 feet from the ground) do not need to apply for this permit unless they are located in environmentally sensitive areas, public property, planter strip, or required from a past permit. Environmentally sensitive areas may be verified [online](#) by clicking on "Natural Resources Overlay" and Steep Slopes Overlay".

Tree	Location <i>Where is each tree located? Check all that apply.</i>	Size <i>Inches 4.5' from the Ground</i>	Reason for Removal <i>Not all trees within the city may be removed. Please identify how the trees proposed for removal qualify.</i>
1	<input type="checkbox"/> Open Space/HOA <input type="checkbox"/> Steep Slopes or Natural Resources Overlay		<input type="checkbox"/> Diseased, damaged, or a hazard to people or adjacent property. Arborist confirmation required. <input type="checkbox"/> Construction or other approved site improvement with no alternative. <input type="checkbox"/> Safe access to utility service, utility drainage or right-of-way. <input type="checkbox"/> Nuisance Species. <i>Include documentation.</i> <input type="checkbox"/> Creation or preservation of a view corridor. <i>Include pictures.</i>
2	<input type="checkbox"/> Open Space/HOA <input type="checkbox"/> Steep Slopes or Natural Resources Overlay		<input type="checkbox"/> Diseased, damaged, in danger of falling, or presents a hazard to people or adjacent property. Certified Arborist confirmation required. <input type="checkbox"/> Construction or other approved site improvement with no alternative. <input type="checkbox"/> Safe access to utility service, utility drainage or right-of-way. <input type="checkbox"/> Nuisance Species. <i>Include documentation.</i> <input type="checkbox"/> Creation or preservation of a view corridor. <i>Include pictures.</i>
3	<input type="checkbox"/> Open Space/HOA <input type="checkbox"/> Steep Slopes or Natural Resources Overlay		<input type="checkbox"/> Diseased, damaged, in danger of falling, or presents a hazard to people or adjacent property. Certified Arborist confirmation required. <input type="checkbox"/> Construction or other approved site improvement with no alternative. <input type="checkbox"/> Safe access to utility service, utility drainage or right-of-way. <input type="checkbox"/> Nuisance Species. <i>Include documentation.</i> <input type="checkbox"/> Creation or preservation of a view corridor. <i>Include pictures.</i>
4	<input type="checkbox"/> Open Space/HOA <input type="checkbox"/> Steep Slopes or Natural Resources Overlay		<input type="checkbox"/> Diseased, damaged, in danger of falling, or presents a hazard to people or adjacent property. Certified Arborist confirmation required. <input type="checkbox"/> Construction or other approved site improvement with no alternative. <input type="checkbox"/> Safe access to utility service, utility drainage or right-of-way. <input type="checkbox"/> Nuisance Species. <i>Include documentation.</i> <input type="checkbox"/> Creation or preservation of a view corridor. <i>Include pictures.</i>

Add a supplemental sheet if needed.

Determine the Number of Replacement Trees Required

Trees removed generally must be replaced. Use the guide below to determine how many trees need to be replanted.

Diameter of Tree to be Removed Measured 4.5 feet off the Ground		Number of Trees Required to Be Planted for Each Tree Removed	Number of Replacement Trees Required
Trees on Private Property	Hazard (Dangerous, Diseased or Dying/Dead), Nuisance, or Less than 6" on Private Property <u>Outside</u> of a Tract or HOA Property	0	# of Trees _____ x None
	Hazard (Dangerous, Diseased or Dying/Dead), Nuisance or Less than 6" <u>Within</u> a Tract or HOA Property	0 If Not Required in Development Approval 1 If Required in Development Approval	# of Trees _____ x None # of Trees _____ x 1 = _____
	Species Susceptible to Emerald Ash Borer	1	# of Trees _____ x 1 = _____
	Implementing an Approved Wildfire Risk Reduction,	1	# of Trees _____ x 1 = _____
	6" - 12"	5	# of Trees _____ x 5 = _____
	13" - 18"	8	# of Trees _____ x 8 = _____
	19" and over	1 per every 2" of DBH removed per tree	Tree Size _____ = _____ Tree Size _____ = _____ Tree Size _____ = _____ Tree Size _____ = _____
Total Replacement Trees Required:			_____

Replanting Plan: Trees on Private Property

Identify the species, size, and location of the replacement trees below and on a planting plan. The City recommends species listed on the City's [Native Tree List](#) or [Street Tree List](#).

Number of Trees Proposed to Be Planted on Private Property: _____

The species may not be identified on the City's [Nuisance Plant List](#). All replacement trees shall be at least 1.25 inches at 4.5 feet in height (DBH) unless in an identified natural resource area which allows bareroot planting.

Species Proposed: _____ Size: _____ Quantity: _____

Species Proposed: _____ Size: _____ Quantity: _____

Replanting Plan: Contribution to the City's Tree Bank

If the replacement trees cannot fit onsite, you may contribute to the City's Tree Bank. The money is used to fund urban forestry projects throughout the City.

Number of Trees Proposed to go to the Tree Bank: _____

Total Cost: # of Trees _____ x \$277 per tree = _____

Note fees change every July 1st

Compliance with State and Federal Wildlife Protection Laws

All tree removal must abide by State and Federal wildlife protection laws, such as the Clean Water Act, the Endangered Species Act and the Migratory Bird Treaty Act. An example includes a bird survey and a specialist onsite during tree removal between February 1st and July 31st.

ENDANGERED SPECIES ACT DISCLAIMER: Certain fish, wildlife, and plant species in Happy Valley may be protected by the federal Endangered Species Act (ESA). Through the issuance of this permit, Happy Valley makes no representation or assurance that the subject land use or development activity is permissible under the Endangered Species Act. As the permittee, you assume all responsibility to ensure that your activities undertaken in accordance with this permit do not violate applicable ESA rules and requirements, or any other state or federal rules or regulations. For more information regarding the salmon-related ESA rules and requirements, contact the National Marine Fisheries Service (NMFS) in Portland at (503) 230-5400. General information on the ESA and listed salmon species is available on the NMFS northwest region web site at <https://www.fisheries.noaa.gov/region/west-coast>. For non-salmon ESA issues, contact the U.S. Fish and Wildlife Service in Portland at (503) 808-2468.

Yes, I will comply with the laws

Date of Replanting

It is best to plant during the fall and winter prior to bud break. Once replanted, please email a photo to planninginfo@happyvalleyor.gov. Staff may go onsite to verify prior to closing the permit.

Planting Proposed to be Completed by: _____

Will Removal Require Blocking the Street and/or Sidewalk?

If any travel lanes will need to be blocked for any period of time or damaged sidewalk panels need replacing, an additional Type 1 [Right-of-Way Permit](#) will need to be obtained from the Engineering Division by using the on-line permitting system HVWorks.com. Please note: If a contractor is performing the work they must be licensed and bonded per Happy Valley Municipal Code 5.04.030, 12.04.100, 12.05.150 and 16.50.080. All signage and traffic control methods must meet the Manual of Uniform Traffic Control Devices Requirements.

Will any travel lanes or sidewalks be blocked for the removal to occur? Yes No

Is the sidewalk damaged and needing to be replaced? Yes No


City Decision

File Number: _____

Planning Division Approval? Yes No Date: _____ Signature: _____

Approval Process

1. Obtain an underground location of utilities by calling 811 or submitting an [online request](#) for the locations you will be digging.
2. Submit an application to the Planning Division at the City.
3. If approved, complete required planting and/or fee by the date of approval and send Planninginfo@happyvalleyor.gov pictures of:
 - ✓ The root barrier in the ground
 - ✓ The planted tree
 - ✓ The tree trunk with a tape measure next to it
 - ✓ The tree species tag
4. Staff will stop by and check the planting before closing out the permit.



NOTES:

1. B&B STOCK MAY BE SUBSTITUTED WITH CONTAINER STOCK OF EQUAL GRADE.
2. CONTAINER STOCK MAY BE SUBSTITUTED WITH B&B STOCK OF EQUAL GRADE.
3. PLANT MATERIAL SHALL CONFORM WITH AMERICAN STANDARD FOR NURSERY STOCK, ANSI Z60.1, 2014 EDITION.
4. ALL TREES SHALL BE BRANCHED.
5. IN THE EVENT OF A DISCREPANCY BETWEEN THE PLANT LISTING AND THE DRAWINGS, THE PLANT LISTING SHALL GOVERN THE PLANT SPECIES AND QUANTITIES REQUIRED.
6. IN THE EVENT OF QUESTION OR LACK OF CLARITY ON DRAWINGS, LANDSCAPE CONTRACTOR IS TO CALL PROJECT MANAGER BEFORE PROCEEDING.
7. LANDSCAPE CONTRACTOR TO VERIFY PLANT MATERIAL SPECIES AND QUANTITIES WITH PROJECT MANAGER PRIOR TO PLANTING.
8. REFER TO PLANS AND CITY OF HAPPY VALLEY DEVELOPMENT STANDARDS FOR LANDSCAPING REQUIREMENTS INCLUDING TREE PLACEMENT, TOPSOIL AND PLANTING SPECIFICATIONS.
9. WATER TREE IN AT PLANTING AND DURING THE MAINTENANCE PERIOD IS REQUIRED.
10. TREE STAKES ARE TO BE REMOVED ONCE THE TREE HAS BEEN STABILIZED AND PRIOR TO FINAL WARRANTY INSPECTION/PROJECT ACCEPTANCE.
11. TREE STAKES ARE REQUIRED TO BE A MINIMUM OF 6- FEET FOR OAK TREES.